

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S47	1500	G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr.	EPO; JPO; DERWENT	OR	ON	2008/05/10 12:43
S51	527	G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr.	EPO; JPO; DERWENT	OR	ON	2008/05/10 12:47
S50	2113	G01D11/28.ipcr.	DERWENT	OR	ON	2008/05/10 12:46
S52	734	G01D013/28.ipc. G01D13/28.ipcr.	EPO; JPO; DERWENT	OR	ON	2008/05/10 12:48
S48	997	G01D013/22.ipc. G01D13/22.ipcr.	EPO; JPO; DERWENT	OR	ON	2008/05/10 12:44
S49	1665	G01D011/28.ipc.	EPO; JPO	OR	ON	2008/05/10 12:45
S56	38	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and shaft with (disconnect\$4 quick releas\$7 remov\$7 snap\$4 clip\$4) same (hand pointer pointing needle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 16:01

S57	50	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and shaft with (disconnect\$4 quick releas\$7 remov\$7 snap\$4 clip\$4 press pressfit\$4 insert\$6) with (motor rotor gear\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 16:23
S55	226	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (shaft with (hollow \$3 open opened bore) tube with (pointer pointing needle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 15:49
S65	188	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (pointer needle) with shaft near3 through	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 17:42
L43	9	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (pointer needle) same shaft with (polygon\$4 pentagon\$4 hexagon\$4 square triang\$4 (three four five six eight) with side)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 19:56

S60	189	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (needle pointer shaft) with (connect\$4 disconnect\$4 quick releas\$7 remov \$7 snap\$4 clip\$4 press pressfit\$4 insert\$6) near6 (motor rotor gear\$4 case housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 16:43
S69	20	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (needle pointer shaft) with (connect\$4 disconnect\$4 quick releas\$7 remov \$7 snap\$4 clip\$4 press pressfit\$4 insert\$6) near3 (into within in through bore) near6 (motor rotor gear\$4 case housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 16:40
S63	66	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (gear geartrain) with (housing case casing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 17:19
S62	397	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02.ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (board pcb) with (housing case casing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 17:08

S58	2	(116/286,287,288,62.1,62.4,300,301,305,dig.5,dig.6, dig.36.ccls. 362/29,30.ccls. G12B011/00.ipc. G12B011/02. ipc. G12B011/04.ipc. G12B11/00.ipcr. G12B11/02.ipcr. G12B11/04.ipcr. G01D013/22.ipc. G01D13/22.ipcr. G01D011/28.ipc. G01D11/28.ipcr. G01P001/10.ipc. G01P001/11.ipc. G01P1/10.ipcr. G01P1/11.ipcr. G01D013/28.ipc. G01D13/28.ipcr.) and (\$6"236458"\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/05/10 16:30
-----	---	--	---	----	----	---------------------

5/ 10/ 08 8:03:54 PM

C:\Documents and Settings\rsmith4\My Documents\EAST\Workspaces\10 595222 micromotor arrangement driving a
pointer type ind dev.wsp